

You loved your last book...but what  
are you going to read next?

Using our unique guidance tools, Love**reading** will help you find new  
books to keep you inspired and entertained.

---

**Opening Extract from...**

**IVF**

An Emotional Companion

Written by Brigid Moss

Published by Collins

All text is copyright © of the author

This Opening Extract is exclusive to Love**reading**.  
Please print off and read at your leisure.

---

# IVF: an emotional companion



How women really feel when  
they're going through infertility

Brigid Moss



Collins

First published in 2011 by Collins  
an imprint of HarperCollins *Publishers*  
77–85 Fulham Palace Road  
London W6 8JB

[www.harpercollins.co.uk](http://www.harpercollins.co.uk)

1 3 5 7 9 10 8 6 4 2

Text © Brigid Moss 2011

The author asserts her moral right to  
be identified as the author of this work

A catalogue record of this book is  
available from the British Library

ISBN 978-0-00-741433-8

Printed and bound in Great Britain by  
Clays Ltd, St Ives plc

All rights reserved. No part of this publication may be  
reproduced, stored in a retrieval system, or transmitted,  
in any form or by any means, electronic, mechanical,  
photocopying, recording or otherwise, without the prior  
written permission of the publishers.



**MIX**  
Paper from  
responsible sources  
**FSC C007454**

FSC™ is a non-profit international organisation established to promote  
the responsible management of the world's forests. Products carrying the  
FSC label are independently certified to assure consumers that they come  
from forests that are managed to meet the social, economic and  
ecological needs of present and future generations,  
and other controlled sources.

Find out more about HarperCollins and the environment at  
[www.harpercollins.co.uk/green](http://www.harpercollins.co.uk/green)

# Contents



<i>Introduction</i>	vii
---------------------	-----

## Why I had IVF

1) Polycystic ovaries stopped me ovulating	3
2) My partner had no sperm	16
3) I had premature ovarian failure	33
4) I couldn't give my son a sibling	45
5) Cancer affected my fertility	58
6) I'm a single mother by choice	74
7) I'm in a same-sex couple	86

## Making the right choices

8) How I found the right clinic	101
9) Having IVF at 40+	112
10) I was only allowed one embryo transferred	124
11) Ovarian hyperstimulation could have killed me	134

12) I had reproductive immunology	147
13) Why I used an egg donor	160
14) My experience of surrogacy	174
15) I got pregnant naturally after IVF	192

## Surviving IVF

16) My twin IVF pregnancy	207
17) IVF could have ended my relationship	217
18) Therapy got me through IVF	231
19) My friends and family got me through	243
20) My experience of miscarriage	256
21) Why I finally stopped IVF	273
22) I moved on to a child-free life	285
23) Why I adopted after IVF	298

<i>Afterword</i>	309
<i>Further reading</i>	311
<i>References</i>	313
<i>Index</i>	315
<i>Acknowledgements</i>	321

# Introduction



I don't know how long you've been trying for a baby, which fertility investigations or treatments you've had or what your chances are now of getting pregnant. You could just be thinking about having IVF, you might be a veteran IVF-er who's had multiple cycles, or you may be about to start out on your first cycle. Wherever you are on your IVF journey, this book is for you.

If I think back, I can still remember the feelings of inadequacy, shame and loneliness that I had when I couldn't get pregnant. That was my motivation for writing this book, a collection of stories from 22 amazing women who are sharing them because, like me, they remember how it feels to be among the one in six couples who experience infertility. Each one of them volunteered to tell her story because she wanted to let you and others know that IVF can be hard, but that you can get through it.

When I was first told I'd need IVF, almost six years ago, aged 35, I couldn't talk to anyone about my fertility problems.

Writing this book – admitting my infertility to everyone – and speaking to the women whose stories are told in these pages has been liberating for me. As one woman said to me, ‘IVF and infertility need to be brought out into the open. Nobody should be ashamed any more.’

But back then, I didn’t want anyone to feel sorry for me or pity me or gossip about me. I didn’t want friends to think they couldn’t tell me when they got pregnant easily. And I didn’t want my mum to be sad for me or worry about me. Adam, my husband, was a great support because, as a lifelong optimist, he always believed we’d have our family in the end.

I loathed the hours spent waiting for fertility appointments in gloomy NHS corridors; and the appointments themselves were gruelling and made me feel very vulnerable. If you’ve ever had an HSG (an hysterosalpingogram, which examines your womb and Fallopian tubes using a dye that shows up when your abdomen is X-rayed), you’ll know why I walked out of the examination room when I saw the huge machine I was being asked to lie on, naked from the waist down. Most of the doctors were good at explaining things, and kind, but I still felt like crying at every appointment, just because I felt so sad and powerless. There were times when I couldn’t face yet another internal examination (one of the women in the book made me laugh when she said, ‘I automatically take off my knickers now as soon as I get into any doctor’s examination room’).

Hormone tests and cycle monitoring showed my cycle was regular and I was ovulating, but the HSG showed my tubes might be blocked. Two years after I first went to the GP, I was booked in for a laparoscopy (a keyhole operation: a camera is put inside your abdomen via an incision under your tummy button). The surgeon discovered my tubes *were* blocked, and that I had adhesions, bands of tissue stuck to my internal organs, possibly due to a pelvic inflammatory disease that I’d

had a few years earlier. Your tubes are so tiny and delicate, they can easily be damaged by infection and by adhesions.

At this point, I was finding it hard to concentrate on anything but my fertility. I could cope pretty well with seeing pregnant friends (of course, this was the exact time lots of friends chose to procreate), but I was beginning to feel bitter towards innocent pregnant strangers in the street. Infertility brought out the nastiest part of me, and altered my perception of the world, so that having a baby became the only thing that counted. I spent hours obsessing over the next test, the next result, preparing for the next treatment, wondering what might make it work or even if I'd magically get pregnant naturally.

The months between NHS appointments dragged on and on. Six months after the first laparoscopy I had another one, this time to clear away the adhesions and attempt to free up my tubes. It didn't work. Another six months later, and I saw another consultant. He looked at my notes, pronounced me a perfect candidate for IVF and referred me on to the NHS IVF waiting list.

I was nervous, as IVF sounded so medical and invasive, but frankly, after three years of blood tests, scans, internals, laparoscopies and waiting, I was relieved to be getting to that next stage. And what was cheering was that although IVF is now used for a whole spectrum of fertility problems – polycystic ovaries, failure to ovulate, endometriosis and male-factor infertility – it was actually invented to bypass malfunctioning tubes like mine.

As the NHS waiting list for IVF was a year in our area at the time, and I was by then 35, we decided we'd better get on with having IVF privately. My mum kindly gave us some money towards it, and we scraped together the rest. I went to see fertility expert Zita West, who talked me through the pros and cons of the many London clinics.

Another six months later, I was at my first appointment at the ARGC – the Assisted Reproduction & Gynaecology Centre in London. But just when I was ready to start my first IVF cycle, a doctor there scanned me and told me that my tubes were full of fluid due to having been blocked. He said that this could stop the IVF working, as the fluid can go into the uterus and prevent the embryo from implanting. Another gynaecologist agreed and said that my tubes and the adhesions around them were probably causing my awful period pains too. So I had another operation – this time to remove my tubes. It was a very final decision to make, and one I have occasionally regretted since. From that point on, IVF would be my only method of ever getting pregnant.

That's when I first found the Fertility Friends website, which has a forum for the ARGC, among other clinics. At first I just read other women's conversations but one day, once I'd finally started IVF, I joined in, asking, 'What does it mean that my left ovary is showing more follicles [the sacs that contain the eggs] than my right?' And, a few days later, 'Does anyone else feel twinges in their ovaries during stimulation? Or get spotting?' I liked that lots of people replied, and everyone supported each other, cheered each other on and commiserated, really knowing what it felt like when things didn't work out. My online fertility buddies were there for me during IVF, at all hours, day or night, ready with a quick boost or supportive comment. One woman who was always helpful on the forum was a GP called Alice, who is still a friend today and whose story is told in Chapter 12).

It became clear to me that some people who hadn't been through infertility or IVF often didn't 'get it'. Toni (see Chapter 3) explains it like this: 'People who haven't experienced infertility don't understand how it takes over your life, how sad it is that a vision you had of your life has been taken

away from you.’ It was hard having to explain every step in the IVF process to friends and family, even when they were being loving and wanted to support me. I was lucky because at work, my boss and close workmates were kind too, asking me how things were going every day.

The actual treatment was hardcore and physically demanding. At the ARGC, for the roughly two weeks that you’re injecting drugs to stimulate your ovaries to produce eggs, you have a blood test every day at 7 a.m., sometimes two, and scans every other day too. I still can’t drive near the blood clinic in Harley Street without feeling my stomach tighten. There was a lot of waiting around for scans and appointments at the clinic too. The waiting room was filled with an air of desperation mixed with camaraderie. People were in awe of Mr Taranissi, the head of the clinic, and talked about ‘Mr T.’ in reverential tones. I joked later that the chairs shouldn’t have been around the edges of the waiting room, but all in lines, as if we were praying to Mr T. Often, I’d chat to a neighbour about our treatments and I’d feel quite lucky, because while I was on my first cycle, others were on their third, even fifth.

I had nine eggs collected in the end (I always think egg collection sounds more like a country pursuit than a surgical procedure). One of these went on to become my gorgeous, now four-year-old, son Patrick. I was nervous while pregnant, even though everything was textbook. And I’m still, to this day, a much more neurotic mother than I would ever have imagined I’d be; taking so long to have a baby changed me, in that way, for ever.

When Patrick was two, we decided to try again with our two remaining frozen embryos. But I didn’t get pregnant. I had always said I’d be happy with one child, that I wouldn’t have another fresh IVF cycle, but found I couldn’t ignore my longing for a second baby, a sibling for Patrick. So we started

a new cycle a year later. During a scan leading up to egg collection, I was upset as my eggs weren't developing evenly on each ovary (I was pretty overwrought generally, at the time). The doctor said to me, 'I have women in here who would be very grateful to be in your position.' And I felt quite ashamed.

This time, the result was a biochemical pregnancy. So while at first I did get a positive pregnancy test, for a week my blood levels of beta hCG (the hormone you produce when you're pregnant) stayed the same, and then they started to fall – a sure sign that the pregnancy was over. That was torture. I was bowled over at how hard it hit me. I was already exhausted from the sheer emotional stress and hormone overload, and from juggling appointments with work; I just wanted to curl up under my duvet and hide.

When Adam and I talked about doing IVF one more time, we didn't know if we could go through with it, and we certainly couldn't afford it. Mum asked me, 'If you had enough money, would you have another treatment?' And when she put it like that, I knew I would. 'Never let a lack of money stop you from doing anything,' she said. Her financial help and writing this book (ironically) paid for our next treatment, when I was 41.

That time, we did get pregnant, but, sadly, I lost the pregnancy one day off 16 weeks (that story is in Chapter 20). After a miscarriage, and indeed if you can't get pregnant, the world can seem full of pregnant women and babies, reminding you constantly of what you don't have. Just after my miscarriage, an old friend called out of the blue to say that she was almost the same number of weeks pregnant as I'd been just a few days before; while back at work, a month later, three pregnant women got in the lift with me at the same time. I was a mess for a month and cried every day for the following two.

Now I've accepted I'm the mother of a single child and I do feel extremely lucky for that. At the same time, I'm sad that my son is growing up without a brother or sister. I don't want him to have the whole weight of my expectations, or the whole responsibility of us when we're old. On the upside though, we're a very portable family, Adam and I have lots of time for Patrick and he is a very happy and loved child.

Our mothers and grandmothers didn't have the medical options we have today to 'cure' infertility. Then again, for the most part, they did start trying much younger too, so there wasn't, like there is now, an army of women in their late 30s and early 40s feeling let down by their biology.

Medical science not only gives us hope, but also a huge range of options and decisions, with new breakthroughs being announced every month. Often, however, that also includes the chance to spend an awful lot of money with only a limited chance of success.

What I learned from my own experience, more than anything, is that not getting pregnant is about making decisions. Lots of them. And often, these are involved and technical. For me, first, it was, should I push my GP to refer me for investigations after a year of trying or wait another six months? Then it was which IVF clinic is best – should I go to a clinic that has slightly better results, or one that provides more personal attention, or one that's closer to home? Even as a health journalist, the amount of information that's out there seemed overwhelming. Every decision was emotionally charged, as every choice could in theory make the difference between having the longed-for baby – and not. The final decision that my husband and I had to make was: is it time to stop treatment? Financially, it was just about impossible for us to continue, but emotionally, I reasoned, did I really want to put

all of us – including Patrick – on to the IVF rollercoaster again when our chance of success was so low?

Every woman in this book has had to make these kinds of decisions, and has made them in her own way. Their stories are not supposed to be a practical guide – there are plenty of other books out there fulfilling that need (you’ll find recommendations at the end of each chapter and in the Further reading section on page 311). Rather, they are intended to show you what others have done in the situation that you are in, what it felt like for them and how they made their decisions along the way.

My day job is Health Editor of *Red* magazine, and the inspiration for the book came from *Red’s* Annual National Fertility Report. I wrote it in the period from a few months before my final IVF cycle to a few months after the miscarriage.

All the women I interviewed taught me something that helped me in my final cycle, or that has stayed with me. For example, Amanda (see Chapter 1), showed me that you can choose to see IVF failure as a nightmare or you can view it as a learning experience for the next cycle. Oona (see Chapter 18), taught me to accept that, during fertility treatment, it’s normal for your emotions to be overwhelming. And lastly, Sinead (Chapter 9) helped me realise that when you don’t get what you want, you should still be thankful for what you do have.

Hopefully, this book will show that for every desperate moment, for every heart-breaking test result and for every difficult decision you face, someone else has probably been there before you. And she’s here – and happy – to tell her story.

# Why I had IVF



‘I was ovulating, but not getting pregnant.  
And I desperately wanted to know why.  
It was so frustrating.’

‘All babies are miracles, but IVF babies are  
real miracles.’

‘My mantra was: “As long as there’s one egg,  
I can get pregnant.”’

‘After three IUIs in four months, I started  
pushing the doctors to recommend IVF because  
the success rates are so much better than IUI.’

‘When I looked at him, he was the person whose  
biological children I wanted. I wanted a mini  
Nick running around, not to have to think about  
using somebody else’s sperm.’

# Polycystic ovaries stopped me ovulating



‘**T**he symptoms of PCOS all directly attack your femininity: facial hair, spots, weight gain. But the worst one of all is lack of periods and the resulting infertility,’ says Theresa Cheung, co-author of the book *PCOS and Your Fertility*, who herself underwent medical treatment to conceive her two children. ‘Getting pregnant felt like something I should have been able to do as a woman. It seemed so easy for other people. But I had to accept that it wasn’t going to happen for me naturally, that I needed medical help,’ she says.

As the most common hormonal disorder for women, affecting up to 10 per cent, PCOS (polycystic ovary syndrome) is a major cause of fertility problems. As you may know, with PCOS it’s not that you’re not producing eggs, it’s that you don’t actually ovulate, which leaves your ovaries filled with follicles that have failed to launch – the so-called ‘cysts’. ‘The hormonal environment in the ovaries isn’t conducive to ovulation,’ explains Mr Tarek El-Toukhy, Consultant and

Honorary Lecturer in Reproductive Medicine and Surgery at Guy's and St Thomas' Hospital NHS Foundation Trust.

It's now generally agreed that lifestyle is key for controlling PCOS symptoms, and healthy living can help to regulate your cycle. 'Weight loss, if the patient is overweight, and exercise can both decrease the intensity of polycystic ovaries, and we see a lot of success just by doing this,' says Mr El-Toukhy. Theresa agrees: 'My symptoms – including a lack of periods – come back if I'm not taking care of myself by eating badly or not exercising enough.'

If you have PCOS, you'll probably have had months, possibly years, of medical treatment by the time you reach an IVF clinic, usually starting with a drug treatment: one to induce ovulation, such as clomiphene (Clomid), and/or metformin, a drug used to treat diabetes. If this doesn't work, the next line of attack is often an operation called ovarian drilling (this is exactly as it sounds). 'We don't know precisely how this operation works, but it could be related to the release of chemical substances within the tissue of the ovary, contributing to changes in the local hormonal environment and stimulating ovulation,' says Mr El-Toukhy. Next comes IUI (intrauterine insemination – where sperm is put into the uterus around the time of ovulation), using the same ovary-stimulating drugs as IVF and, finally, IVF (although a lot of women choose to go straight from Clomid to IVF).



*Amanda, 35, a public relations director from London, only found out she had PCOS when she came off the Pill. When ovulation-inducing drugs didn't work, she started IVF.*

I had no idea that I had polycystic ovaries until my weight ballooned when I stopped taking the Pill. I went from a size 10/12 to a size 16 in a matter of months. I'd been on the Pill since I was 17, when I first got together with Adam. By my late 20s, I wasn't happy that I'd been taking it for so long and Adam and I were about to get married, so I came off it.

Around six months after the wedding, I decided to see a doctor and get myself checked out because of the weight I'd gained and the fact that my periods had become so irregular too. That's when I was diagnosed with PCOS.

At the time, we weren't trying to get pregnant, but we weren't being too careful either. For contraception, we were simply avoiding sex on the days I assumed I was ovulating. Once I was diagnosed with PCOS, it turned out that my actual cycle was so irregular, I'd been avoiding the wrong days. So, in theory, I should have got pregnant and we had, in a way, been trying for eight months with no success.

I started to use an ovulation kit, but it didn't really work because I had such an erratic cycle. When I was monitored to see how often I was ovulating, there was no rhythm or reason to my cycle: sometimes I'd ovulate every two months, sometimes every four. Because I was ovulating so rarely, I realised we only really had around four chances a year to get pregnant. So when I was prescribed clomiphene (Clomid), a drug to make me ovulate, I was quite optimistic – you hear a lot of miracle stories about Clomid.

The first month I took it, scans showed I didn't ovulate. So the next month, the consultant doubled my dose. You do hear bad things about Clomid too, how it can give you mood swings, but luckily I wasn't affected. This time I did respond and, amazingly, I got pregnant.

A couple of weeks later, on my birthday, I suddenly felt very hormonal, and found myself crying for no reason. I tentatively put it down to being pregnant. Later that day, we went out for a family lunch. I felt some cramping then, during the meal, I started bleeding. When we'd finished eating, I told everyone we were going shopping but, in fact, Adam and I went to the hospital.

There, the nurse asked me to do a urine sample for a pregnancy test, then told me I was no longer pregnant. I came home and cried all night, devastated.

With my sister's first baby due, my parents flew off to Hong Kong to visit her the next day, while I went back to my gynaecologist for a check-up. Just as I'd parked outside his surgery in Harley Street, my phone rang. It was my brother-in-law, calling from Hong Kong, to tell me I had a nephew. That hurt. I was genuinely happy for my sister and him but, at the same time, I felt sad and a real sense of loss for Adam and me.

The gynaecologist said that if I wanted, I could carry on with Clomid in my next cycle without a break. With hindsight, I can see I should have taken a couple of months to get over what had happened, both physically and emotionally. I felt sad for a long time. What did help was telling myself that there was a reason the pregnancy hadn't continued, that the baby most likely wasn't chromosomally right.

Ideally, you're only supposed to take Clomid for six months, but I ended up on it for eight. I didn't want to give up. I thought it was supposed to be a miracle drug, so I couldn't understand why it wasn't working for me. I was

ovulating, but not getting pregnant. And I desperately wanted to know why. It was so frustrating.

I was referred to another private consultant, who took me off Clomid and put me on a drug called metformin. This helps to control blood-sugar levels, which can be high in PCOS, and can regulate your cycle so you start ovulating. She explained that it would take a couple of months to work, and if metformin alone didn't make me ovulate, I could combine it with Clomid. If I didn't get pregnant, she explained, the next step would be IUI.

As someone who's extremely organised and used to being in control, those months of waiting for the metformin to work were hard for me. I kept thinking: friends are getting pregnant with their second babies and I'm struggling to fall pregnant with my first. And I was conscious that I'd be even older if and when I had a second child. The pregnancy I'd lost was still very much on my mind, and it was coming up to the due date. It felt like time was running away and there was nothing I could do about it. The one positive sign was that the metformin was helping me lose weight.

Two cycles of metformin and Clomid together didn't get me pregnant, so we started IUI. That ramped up the stress levels. We were spending nearly £1000 a cycle and I was trying to fit in all the appointments with work, taking cabs to the clinic in lunch breaks because I was so busy.

The actual procedure itself wasn't fun either. The sperm transfer had to be done with a full bladder, and waiting for my turn was very uncomfortable. I know being stressed probably didn't stop the IUI from working, but it certainly didn't make it very pleasurable. Every time IUI didn't work, we booked in for another round. Looking back, I can see we should have stopped after two or three times but we were advised to keep going. It was like groundhog day: every month, I'd find myself back at the clinic. Finally, Adam

and I decided our fifth IUI would be our last, and it was time for IVF.

I was referred to Guy's and St Thomas'. We had all the standard tests and we were surprised to hear that Adam's sperm count had dropped, never previously a problem. The embryologists recommended that once I'd had my eggs collected, they should be fertilised with ICSI (intracytoplasmic sperm injection – where a single sperm is injected into each egg), explaining it would give us the best chance of fertilisation.

The staff, who were friendly and professional, put us at our ease, and made us both feel confident. The only thing that made me feel a bit sick was the thought of injecting myself with the ovary-stimulating drugs – I'm not good with needles or inflicting pain on myself. So Adam said he'd do them.

We had to do our first injection at a friend's wedding – in a Portaloo, of all places. Holding the little bag of needles and drugs, we were trying to stay calm when someone knocked on the door. The injections are dispensed by a type of pen, and we'd been told to hold it down for five seconds. But because we were so paranoid, we counted out loud to 10, just to be sure. Goodness knows what the person waiting for the loo must have thought!

I dealt with IVF by going through the motions quite mechanically. Fortunately, the drugs didn't affect my mood or emotions, so I was able to carry on with life as normally and unemotionally as possible. But, doing my last injection, I accidentally knocked the glass vial on to the ground and it smashed. So at 8 p.m., we had the panic of trying to get a replacement. Luckily, the clinic said they could fax a prescription to a pharmacy near us. But it took ages to find one that stocked the right drug, would accept a faxed prescription and was still open at what was by then 9.30 p.m. Looking back, it was farcical, but at the time, it felt like a disaster.

When it came to the day of egg collection, we were pleased to get 12 eggs. We felt as if we'd got over the first big hurdle. Three days later, we had nine good embryos and the choice of putting one or two back. We automatically said two, as we wanted our chances to be as good as possible. Once the embryos were in, I felt that there was nothing more I could do. It was in the lap of the gods.

A week after transfer, we took the Eurostar to a family wedding in Paris. When we arrived, I tried on my outfit – a black A-line skirt in a size 12 and a matching top – but I couldn't do the zip up as my belly had expanded so much since I'd left London. I had to go shopping for new clothes and borrow a pair of my sister's maternity tights (she was by then pregnant with her second child). I looked five months pregnant and a man in Galleries Lafayette actually gave me a chair because he thought I needed a break!

At the wedding, I felt uncomfortable because I thought people would assume I was pregnant too. I knew the bloating was probably caused by mild OHSS (ovarian hyperstimulation syndrome), which I'd been warned about by the clinic. The main advice is to drink a lot of water, so I was going to the loo all the time. I could hardly move, I didn't dance, and I felt huge. Towards the end of the evening, my sides started hurting too and I began to feel really uncomfortable and knackered.

When we got back from Paris, I called the clinic, and told them about my bloating. They asked me to come in, in case they needed to put in a drain to take out the excess fluid that builds up with OHSS. The first thing the nurse asked was if I'd done my pregnancy test. I said no, because I thought I wasn't due to take it for another two days. And she said, 'No, you were supposed to take it yesterday!' How the hell had I got my test date wrong? Probably because I'd been so determined to go on with normal life, and not think about IVF, that I'd pushed it to the back of my mind.

In shock and on autopilot, I went to the toilet and peed on the test stick. I didn't even look at it. In my mind, I wanted to give the test to the nurse, go home and for her to call me with the result. As I passed the test to her, a faint line on it caught my eye. I said, 'Oh, I guess that means the treatment didn't work; there's only a faint line.' She said, 'Actually, that means you *are* pregnant.'

I couldn't believe it. I was elated, but made myself stay calm as I knew it was early days for the pregnancy. I went through the rest of the examination in a daze. Luckily, I didn't need any treatment for the OHSS, and was just told to drink more water.

I called Adam, told him that the OHSS wasn't serious and rambled on about my appointment before saying casually, 'Oh, by the way, I'm pregnant'. He was ecstatic, of course. We decided not to tell anyone for a while, because of losing the previous pregnancy and the fact that this one was still so new.

Two weeks later, I started bleeding at work. It's just not fair, I thought. It's happening again. Adam called NHS Direct, who told us to go to A & E. After waiting for hours, we finally persuaded the doctor to do a scan. Incredibly, we saw one heartbeat, and that was a huge relief. There was another sac, but it looked like a dark circle with nothing in it. The doctor said, 'There's one heartbeat, but it looks as if the other embryo didn't make it.'

That was the first time that the idea of twins had crossed either of our minds. I actually felt a loss for the second twin, thinking that it had grown inside me for a few weeks. But, as Adam said, we should be very grateful for our one healthy heartbeat. My mum, who has a medical background, said it was probably a good thing that we'd ended up with one, as twins can be such a difficult pregnancy, and often one or both of the babies is sickly or they're premature. Everyone put a

positive spin on the situation but, for me, it was still bittersweet.

Then, at our first official scan at the IVF clinic, at eight weeks, just as I was telling the doctor we'd only seen one heartbeat, she said, 'Well, now you've got two'. I practically fell off the bed. She explained that the heartbeat comes between six and eight weeks of pregnancy, and the first scan was probably too early. We were shocked, but also delighted.

Even though I was only a couple of months pregnant, my stomach was very big, so I told people at work that I had something wrong with my digestion (I'd had digestive problems in the past). It wasn't until after the 12-week scan, when we found out that both babies were healthy, that we finally felt confident enough to share our news. But, at 15 weeks, I suddenly started bleeding again. I kept thinking: I don't want to lose one, they come as a pair, but, despite feeling well, I could only assume we'd lost one or both babies, as there was so much blood.

At A & E, after several examinations by different doctors, none of whom could find anything wrong with the pregnancy, it was discovered that I had a burst polyp – a little growth on my cervix – and that this was what had bled. The doctor was very kind and understanding and I'll always remember him saying to me: 'All babies are miracles, but IVF babies are real miracles.'

For the rest of the pregnancy, I had scans every two or three weeks, which made me feel safe. Nathan and Dylan were born healthy, by C-section, exactly a month early (they did go into special care for two weeks because they couldn't yet feed). After they were born, all thoughts of Clomid, IUI and IVF disappeared. It's no longer relevant to me how the boys were conceived. All that matters is that we have two healthy, lovely children.

## **Q: WERE YOU OFFERED ANY OTHER TREATMENTS FOR PCOS?**

After we decided to stop having IUI, I did see a consultant who recommended a procedure called ovarian drilling, where a surgeon makes holes in your ovaries in order to restart your cycle. I did consider it, even went on the waiting list, but it seemed very extreme. I thought of it as a last resort, if IVF didn't work.

## **Q: HOW ARE YOUR PCOS SYMPTOMS NOW?**

The boys were born in January and I was thin within a couple of months, but by June of that year, I had put on loads of weight again. I could also see that I was a little more hairy too. Even though metformin had suited me so well, and the doctors were happy for me to go back on it, I didn't want to take it. I didn't like the idea of being on medication for ever. And I didn't think, with the babies, I'd remember to take it three times a day, in any case. I kept thinking: maybe the symptoms will calm down or I'll eat less. When the twins were three, I decided to go back on metformin. It has made a difference – I'm definitely less hungry and I'm down to a size 10/12 again.

## **Q: DID YOU TELL PEOPLE WHILE YOU WERE HAVING IVF?**

I was quite happy to tell some people about our fertility treatment, but not everyone. I worked up until twenty-nine weeks; one of my final tasks was organising a celebrity event. Everyone there kept saying to me, 'Oh my God, you're massive,' assuming I was about to drop there and then. So I had to explain it was a twin pregnancy, and the inevitable next question was always, 'Oh, have you got twins in the family?' and, 'Are they identical?' When people ask if there are twins in the family, I think what they're really saying is, 'Was it IVF?' But,

to be honest, I'm not embarrassed by it. I usually say simply that it was fertility treatment – most people don't ask for details.

I'm also asked, 'What are you going to tell the children about how they were conceived?' But I don't think they're going to care about the actual mechanism of conception, especially these days. I was making dinner the other day, stirring something, and Dylan said, 'Is that how you made us?' He knew that he and Nathan had been in my stomach, and assumed they must have got there the same way as food! If we'd used donor sperm or eggs, I think it would be different, as then it's a question of genetics.

### **Q: WHAT WILL YOU DO WITH YOUR FROZEN EMBRYOS?**

We've got seven embryos frozen from our treatment. Recently, I got a letter saying that they're about to reach their five-year deadline, and we have to decide what to do with them. We're not going to use them ourselves, as we don't want any more children. We're still having a debate about what to do with them. If it was just my eggs, I could donate them to someone who needs them. But I'm not comfortable doing that with embryos, as they are, theoretically, full siblings to Nathan and Dylan. If I did, I might start thinking every child I see on the street is genetically ours. I would like to give them to medical research, as for me it's important to give back, but Adam isn't keen as he doesn't want them to be prodded and experimented on. He'd rather let them be destroyed. I think I'll probably win the argument in the end, but it might take a while.

### **Q: WHAT'S YOUR BEST ADVICE FOR ANYONE DOING IVF?**

You need to keep calm. I'm sure that part of the reason why IVF worked for us is that we're quite calm people. And I made

sure I stayed that way. My belief is, only worry about things when you absolutely need to.

Also, try to be positive and don't think about it not working. Try to go about your normal daily life and don't let everything be about IVF. Just before I had IVF, I met a woman who'd had multiple cycles of IVF and had made some extreme life changes she thought would help it work. She was on a strict organic diet, not using foil or plastic on her food and avoiding microwaved food. But I knew that wouldn't have suited me. I believed that the more changes I made away from my normal life, the more I would have been setting myself up for disappointment had IVF failed.

The hard thing, when you're having fertility problems, is when your friends are falling pregnant around you – especially, I found, when they are having their second. But you have to be positive and think: their second won't take away my first.

## **Q: WHO WAS YOUR SUPPORT SYSTEM?**

I had my best friends, my parents and, of course, my husband Adam, although, ironically, I probably spoke to him about it less, as I didn't want it to be all-consuming for us. After a while, Adam's attitude was sometimes, 'Do we really need to talk about this again?' He always believed it would happen for us. And, as a man, he wasn't as conscious of my biological clock, so he didn't mind if it happened straight away or in a year.



Difficult though it is to live with the symptoms of PCOS, the good news is that the majority of women who have it and want to get pregnant, do so. But that doesn't mean it isn't a hard slog to get to that point.

For excess weight associated with PCOS, some women swear by the GI diet: ‘Many nutritionists, dietitians, and women with PCOS believe the lower sugar and lower refined carbohydrates in the GI diet really work, by reducing insulin resistance and keeping hunger pangs at bay,’ explains Colette Harris, co-author of *PCOS and Your Fertility* (Hay House) and *The Ultimate PCOS Handbook* (Thorsons). ‘The basis of the diet is more protein, more fibre and less sugar,’ she says. And while there’s no consensus on how often or how hard you should exercise, she recommends some exercise every day, even if it’s just gardening or brisk walking.

If you are keen to explore complementary treatment for PCOS, a Swedish study from 2010,<sup>1</sup> where women had 16 weeks of electroacupuncture (where the needles are linked up to a minimal electric current) had more periods as a result. Fertility acupuncturist Emma Cannon (emmacannon.co.uk) says that most of her clients find their cycles return after one to two months of acupuncture.

And there’s more good news: a study published in 2010 from the Shahid Beheshti University in Iran<sup>2</sup> compared the AMH blood levels (anti-Müllerian hormone – a marker of fertility) of women with PCOS and those without, and found that AMH declined to menopausal levels on average two years later in women with PCOS, which means they have a better chance of conceiving at a slightly older age<sup>3</sup>.

Finally, Verity, the PCOS charity, runs conferences with expert speakers (verity-pcos.org.uk); you do need to be a member, but they can keep you up to speed on all the latest research. You can download previous conference speeches at the website of PCOS-UK, the education arm of Verity (pcos-uk.org.uk).